

GLP JDC1 STROBE

The JDC1 contains a traditional single tube element with an incredible clear, bright white output and combines that with a surrounding full face of RGB LED power, utilizing 1.320 high quality LED's. The possibilities are endless as these two elements have independent control and can be used as separate pieces, or combined for stunning effects.

Along with working as a powerful strobe light, both the tube and the full face sections can be run continuously for high output blinder and wash light effects, which never reduce output or have thermal cutouts.

To give even more functionality, the RGB face can be divided into 12 separate 'plate' sections, and additionally the bright white tube also can be divided into 12 sections and then the whole array can be fully pixel mapped through any standard controller.

The JDC1 also features dynamic movement with a 16 bit, 185° tilt range, allowing you to place effects exactly where and when you want them to be – and get the most possible power and impact.



FEATURES | SPECIFICATIONS | BENEFITS

- Dimensions: L: 150mm (5.9in) x W: 390mm (15.3in) x H: 251mm (9.8 in)
- Weight: 25.6 lbs (11.6kg)
- Power supply: Electronic auto-ranging
- Input voltage range: 100 - 240 VAV, 50/60 Hz
- Power consumption: 1200 (@230 W)
- LED Type: Osram LRTB GVTG
- LED Count: 1320
- LED Colors: RGB
- Resolution: 8 - 16 Bit
- Tilt (Degrees) 185°
- Mounting Options: Standing: Rubber feet
Hanging - Horizontal: adjustable bar for sideways truss (optional)
Hanging - Vertical: Omega-Bracket
- Max. temperature: Ambient: 104°F (40°C)



SHOW TECHNOLOGY